


AST-101



Astronomy before the common era


Luís Anchordoquí

1


The alteration between day and night




the succession of the seasons




and the observation of the celestial bodies and their movements in the sky





introduced the notion of time





- We now know that we experience day and night because of Earth's rotation around itself
- We experience seasons because of tilt of Earth's axis of rotation as Earth moves around Sun in a year
- Precise understanding of these phenomena came about through careful observations





4

Astronomy has its roots in the work done by the Babylonian and Egyptian civilizations




The oldest dial known 1500 BCE

The sundial is considered to be the first scientific instrument




Over a thousand years BCE the Babylonians already had extensive astronomical records with good measurements of time and of Moon positions as well as stars and planets in the sky from which we inherit both our systems of angular and time measurement: the 360° circle and the time units of 24 hrs, 60 minutes, and 60 seconds


Egyptian Sun Clock




Egyptian Sun Clock




Egyptian Sun Clock



Egyptian Sun Clock



Egyptian Sun Clock





The Babylonian Calendar was a lunisolar Calendar based on the lunar phases

It was used in Babylon and surrounding regions for administrative, commercial, and ritualistic purposes




7

Babylonian year consisted of 12 lunar months each beginning on the evening (after sunset) of the first observed (or computed) lunar crescent after the astronomical new moon



8

The year began around the spring equinox and to keep the calendar in step with the seasons an intercalary month was inserted at (semi-)regular intervals



At first the intercalary months were inserted at irregular intervals based on the observed discrepancies between the calendar and the seasons but after about 500 BCE a regular intercalation scheme consisting of seven intercalary months in a 19-year cycle was adopted

9

Just like Earth, the Moon rotates on its own axis and experiences daylight and dark cycles

The Moon's day and night cycles are a little longer than Earth's:

the Moon spins on its axis once every 27.3 days



The Moon's period of rotation matches the time of revolution around Earth

This implies that it takes the Moon the same length of time to turn once on its axis

as it takes it to go once completely around the Earth

9

Just like Earth, the Moon rotates on its own axis and experiences daylight and dark cycles

The Moon's day and night cycles are a little longer than Earth's:

the Moon spins on its axis once every 27.3 days



The Moon's period of rotation matches the time of revolution around Earth

This implies that it takes the Moon the same length of time to turn once on its axis

as it takes it to go once completely around the Earth

9

Just like Earth, the Moon rotates on its own axis and experiences daylight and dark cycles

The Moon's day and night cycles are a little longer than Earth's:

the Moon spins on its axis once every 27.3 days



The Moon's period of rotation matches the time of revolution around Earth

This implies that it takes the Moon the same length of time to turn once on its axis

as it takes it to go once completely around the Earth

9

Just like Earth, the Moon rotates on its own axis and experiences daylight and dark cycles

The Moon's day and night cycles are a little longer than Earth's:

the Moon spins on its axis once every 27.3 days



The Moon's period of rotation matches the time of revolution around Earth

This implies that it takes the Moon the same length of time to turn once on its axis

as it takes it to go once completely around the Earth

9

Just like Earth, the Moon rotates on its own axis and experiences daylight and dark cycles

The Moon's day and night cycles are a little longer than Earth's:

the Moon spins on its axis once every 27.3 days



The Moon's period of rotation matches the time of revolution around Earth

This implies that it takes the Moon the same length of time to turn once on its axis

as it takes it to go once completely around the Earth

9

Just like Earth, the Moon rotates on its own axis and experiences daylight and dark cycles

The Moon's day and night cycles are a little longer than Earth's:

the Moon spins on its axis once every 27.3 days




The Moon's period of rotation matches the time of revolution around Earth

This implies that it takes the Moon the same length of time to turn once on its axis

as it takes it to go once completely around the Earth

This means that Earth observers always see the same side of the Moon (called the “nearside”)




The side we do not see from Earth, called the “farside,” has been mapped during lunar missions

The Moon looks different during its revolution around the Earth



The Moon looks different during its revolution around the Earth




Elongation
E 45°

14.6% illuminated



Waxing Crescent

The Moon looks different during its revolution around the Earth




Elongation
E 90°

50% illuminated



First Quarter

The Moon looks different during its revolution around the Earth




Elongation
E 135°

85.4% illuminated




Waxing Gibbous

The Moon looks different during its revolution around the Earth



The Moon looks different during its revolution around the Earth




Elongation
W 135°

85.4% illuminated




Waning Gibbous

The Moon looks different during its revolution around the Earth



The Moon looks different during its revolution around the Earth



Elongation
W 45°

14.6% illuminated



Waning Crescent

Phases of the Moon

- The center ring shows the moon as it revolves around the Earth, as seen from above the north pole
- Sunlight illuminates half the Earth and half the moon at all times
- But as the moon orbits around the Earth, at some points in its orbit the sunlit part of the moon can be seen from the Earth, and at other points, we can only see the parts of the moon that are in shadow
- The outer ring shows what we see on the Earth during each corresponding part of the moon's orbit




The Moon's sidereal orbital period (the sidereal month) is roughly 27.3 days

Time interval that the Moon takes to orbit 360° around the Earth relative to the "fixed" stars




Period of lunar phases (the synodic month -> full moon to full moon period) is about 29.5 days
This is because while Moon is orbiting Earth -> Earth is progressing in its orbit around the Sun

Lunar Eclipse



CBC NEWS

Images courtesy NASA



- Earth's atmosphere scatters blue light
- Red light is refracted and falls onto the Moon



As we've already mentioned ➡ lunar eclipse always happens at a Full Moon

However ➡ not every Full Moon comes with a lunar eclipse

Here is why ➡ Moon's orbit is tilted at about five degrees to the Earth's orbit, so our natural satellite usually passes above or below the Earth's shadow at a Full Moon.


On average ➡ there are two lunar eclipses per year

The maximum number of lunar eclipses in one year is five ➡ though it happens quite rarely

The last time five lunar eclipses occurred in one calendar year was in 1879 and the next time such an event will happen is in 2132


Solar Eclipse

SUN, MOON, AND EARTH
LINE UP, WITH THE MOON IN THE MIDDLE






- **Most calendar years have two solar eclipses**
- **The maximum number of solar eclipses that can take place in the same year is five, but this is rare**
- **Only about 25 years in the past 5,000 years have had five solar eclipses**
- **The last time this happened was in 1935, and the next time will be in 2206**



At perigee, the moon is closest to Earth and appears up to 14 percent larger than normal.

At apogee the moon is the furthest in its orbit from Earth and appears 14 percent smaller and 30 percent dimmer.





April 7, 2020


October 1, 2020

Not-So-Super Moon vs. Supermoon
Credit: NASA's Scientific Visualization Studio


Astronomy 2500 Years Ago



Aristarchus realized that when the Moon was exactly half illuminated it formed a right triangle with the Earth and the Sun



By observing the angle between the Sun and Moon
the ratio of the distances to the Sun and Moon could be deduced using a form of trigonometry



πρὸς τῷ E , τὸ ἄρα ἀπο τῆς ZH πρὸς τὸ
 ὡς δὲ τὸ ἀπὸ ZB πρὸς τὸ ἀπὸ BE , οὕτως ἐστὶ τὸ ἀπὸ ZH πρὸς τὸ
 5 ἀπὸ HE . τὸ ἄρα ἀπὸ ZH τοῦ ἀπὸ HE διπλάσιόν ἐστι. τὰ δὲ μθ
 τῶν $κε$ ἐλάσσονά ἐστιν ἢ διπλάσια ὥστε τὸ ἀπὸ ZH πρὸς τὸ ἀπὸ




Fig. 25.

HE μείζονα λόγον ἔχει ἢ (ὄν τὰ) $μθ$ πρὸς $κε$. καὶ ἡ ZI
 ἄρα πρὸς τὴν HE μείζονα λόγον ἔχει ἢ (ὄν) τὰ $ζ$ πρὸς τὰ $ε$. καὶ
 συνθέντι ἡ ZE ἄρα πρὸς τὴν EH μείζονα λόγον ἔχει ἢ ὄν τὰ
 10 πρὸς τὰ $ε$. τουτέστιν ἡ $δν$ (τὰ) $λ$ πρὸς τὰ $ε$ μείζονα λόγον ἔχει ἢ ὄν τὰ

After several pages of
 geometry...


$$18D_m < D_s < 20D_m$$

What shape is the Earth?

Key Concepts

1. Aristotle (4th Century BCE) was the first to demonstrate the Earth is **spherical**
2. Eratosthenes (ca. 200 BCE) was the first to determine the **size** of the Earth

Aristotle (4th Century BCE): First to give **reasons** why the Earth is spherical



Aristotle contemplating the Bust of Homer,
Rembrandt (CE 1653)

Aristotle's 1st reason

You see different stars from the south than from the north

Big Dipper



Southern Cross




If the Earth were flat (as Thales believed)

Big Dipper



Southern Cross



2nd reason

Shape of Earth's shadow

During a lunar eclipse, Earth's shadow is **always** circular

Only object whose shadow is always circular is a sphere




Eratosthenes (ca. 200 BC): First to find the size of the spherical Earth



Eratosthenes teaching in Alexandria, Bernardo Strozzi (AD 1635)

- **What Eratosthenes read:** At noon on June 21, Sun is at Zenith seen from Syene
- **What he saw:** At noon on June 21, Sun is 7.2 south of Zenith seen from Alexandria
- **What he assumed:** Earth is spherical; Sun is very, very far away

Eratosthenes then divided 360° by $7^\circ 12'$ and determined that $7^\circ 12'$ was $1/50$ th of a circle
 Since the distance between Syene and Alexandria was measured to be 5,000 stades
 and these two places lie on the same meridian
 geometric argument \rightarrow circumference of the Earth $\sim 250,000$ stades



The best modern guess is that 1 stadia = 185 m Putting Eratosthenes result
 In modern units \rightarrow circumference of the Earth is 46,250 km

Modern measurement \rightarrow 40,070 km

Eratosthenes estimate is only about 15% too large!

If the Earth–Moon distance were greater than the Earth–Sun distance would an observer on the Earth be able to see the Moon in its first quarter phase?

A. Yes

B. No


If the Earth–Moon distance were greater than the Earth–Sun distance would an observer on the Earth be able to see the Moon in its first quarter phase?

A. Yes

B. No

Observer on Earth would not be able to see the Moon in its first quarter phase if Earth - Moon distance were greater than Earth - Sun distance

When we see the Moon in its first quarter phase, Earth, Moon, and Sun must be aligned such that they form a right angle with Earth - Sun distance as the hypotenuse of a right triangle
This is the only way we would be able to see first quarter Moon.



The same side of the moon always faces the Earth

because:

A. The moon is not rotating about its axis.

B. Tidal forces keep the moon's rotation and orbiting motion in sync with each other

The same side of the moon always faces the Earth

because:

A. The moon is not rotating about its axis.

B. Tidal forces keep the moon's rotation and orbiting motion in sync with each other

Which civilization developed and implemented the first lunar calendar?

A. Roman

B. Greek

C. Babylonian

D. Aztec

Which civilization developed and implemented the first lunar calendar?

A. Roman

B. Greek

C. Babylonian

D. Aztec

Which planet seems to be turned on its side with an axis tilt of 98 degrees?

A. Uranus

B. Pluto

C. Neptune

D. Saturn

Which planet seems to be turned on its side with an axis tilt of 98 degrees?

A. Uranus

B. Pluto

C. Neptune

D. Saturn

The period from one full moon to the next is:

A. 27.3 days

B. 7 days

C. 29.5 days

D. 365 days

The period from one full moon to the next is:

A. 27.3 days

B. 7 days

C. 29.5 days

D. 365 days

Name the phase that the moon is in for each type of eclipse, lunar and solar:

A. Full moon for both phases

B. New moon for both phases

C. Full moon for lunar and new moon for solar

D. New moon for lunar and full moon for solar

Name the phase that the moon is in for each type of eclipse, lunar and solar:

A. Full moon for both phases

B. New moon for both phases

C. Full moon for lunar and new moon for solar

D. New moon for lunar and full moon for solar

QUERY 1


Two martians, Yll and Ylla K, are located due north and south of each other on planet Mars

Yll sees Sun directly overhead (at the zenith) at noon. At same time, Ylla sees Sun 6 degrees away from the zenith. Ylla is 355 kilometers north of Yll. Compute circumference of planet Mars

QUERY 1

Two martians, Yll and Ylla K, are located due north and south of each other on planet Mars

Yll sees Sun directly overhead (at the zenith) at noon. At same time, Ylla sees Sun 6 degrees away from the zenith. Ylla is 355 kilometers north of Yll. Compute circumference of planet Mars



$$\frac{6^\circ}{360^\circ} = \frac{355 \text{ km}}{x} \Rightarrow x = 21,300 \text{ km}$$

QUERY 2

Given that circumference of Earth is 40,000 kilometers, what is Earth's diameter in kilometers?

Given that there are 0.621 miles per kilometer, what is Earth's diameter in miles?

QUERY 2

Given that circumference of Earth is 40,000 kilometers, what is Earth's diameter in kilometers?

Given that there are 0.621 miles per kilometer, what is Earth's diameter in miles?

$$C = 40,000 \text{ km}$$

$$d = \frac{C}{\pi} = \frac{40,000 \text{ km}}{\pi} = 12,732 \text{ km}$$

$$1 \text{ km} = 0.621 \text{ miles} \Rightarrow 12,732 \text{ km} = 0.621 \cdot 12732 \text{ miles} = 7,906.57 \text{ miles}$$